

| Type           | 外形及安装尺寸 Outline and Mounting Dimensions |                |         |                   |      | 进出口法兰 Inlet and outlet flange |                   |                 | Kg  |
|----------------|-----------------------------------------|----------------|---------|-------------------|------|-------------------------------|-------------------|-----------------|-----|
| 型号             | L                                       | H <sub>1</sub> | B×C     | 4-ØD <sub>1</sub> | H    | DN                            | N-ØD <sub>2</sub> | ØD <sub>3</sub> | 重量  |
| XBD3.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 827  | 65                            | 4-Ø18             | 145             | 163 |
| XBD3.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 827  | 65                            | 4-Ø18             | 145             | 163 |
| XBD3.6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 827  | 65                            | 4-Ø18             | 145             | 163 |
| XBD4.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 827  | 65                            | 4-Ø18             | 145             | 170 |
| XBD4.1/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 893  | 65                            | 4-Ø18             | 145             | 190 |
| XBD4.2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 893  | 65                            | 4-Ø18             | 145             | 190 |
| XBD4.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD4.8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD5.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD5.2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD5.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD5.6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD6.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1001 | 65                            | 4-Ø18             | 145             | 230 |
| XBD6.2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD6.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD7.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD7.2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD7.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD7.7/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD7.8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |

| Type             | 外形及安装尺寸 Outline and Mounting Dimensions |                |         |                   |      | 进出口法兰 Inlet and outlet flange |                   |                 | Kg  |
|------------------|-----------------------------------------|----------------|---------|-------------------|------|-------------------------------|-------------------|-----------------|-----|
| 型号               | L                                       | H <sub>1</sub> | B×C     | 4-ØD <sub>1</sub> | H    | DN                            | N-ØD <sub>2</sub> | ØD <sub>3</sub> | 重量  |
| XBD8. 0/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1067 | 65                            | 4-Ø18             | 145             | 250 |
| XBD8. 3/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD8. 5/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD8. 6/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD9. 0/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD9. 3/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD9. 5/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1133 | 65                            | 4-Ø18             | 145             | 270 |
| XBD9. 8/10G-DRL  | 405                                     | 100            | 170*325 | 4-Ø18             | 1177 | 65                            | 4-Ø18             | 145             | 304 |
| XBD10. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1177 | 65                            | 4-Ø18             | 145             | 304 |
| XBD10. 2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD10. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD10. 7/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD11. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD11. 2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD11. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1243 | 65                            | 4-Ø18             | 145             | 314 |
| XBD11. 6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1268 | 65                            | 4-Ø18             | 145             | 339 |
| XBD12. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1268 | 65                            | 4-Ø18             | 145             | 339 |
| XBD12. 1/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD12. 6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 340 |
| XBD12. 8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD12. 9/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |

| Type             | 外形及安装尺寸 Outline and Mounting Dimensions |                |         |                   |      | 进出口法兰 Inlet and outlet flange |                   |                 | Kg  |
|------------------|-----------------------------------------|----------------|---------|-------------------|------|-------------------------------|-------------------|-----------------|-----|
| 型号               | L                                       | H <sub>1</sub> | B×C     | 4-ØD <sub>1</sub> | H    | DN                            | N-ØD <sub>2</sub> | ØD <sub>3</sub> | 重量  |
| XBD13. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD13. 2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD13. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD13. 8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD14. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1335 | 65                            | 4-Ø18             | 145             | 350 |
| XBD14. 3/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1401 | 65                            | 4-Ø18             | 145             | 360 |
| XBD14. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1401 | 65                            | 4-Ø18             | 145             | 360 |
| XBD14. 8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1401 | 65                            | 4-Ø18             | 145             | 360 |
| XBD15. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1401 | 65                            | 4-Ø18             | 145             | 360 |
| XBD15. 3/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1401 | 65                            | 4-Ø18             | 145             | 360 |
| XBD15. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1470 | 65                            | 4-Ø18             | 145             | 435 |
| XBD15. 8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1470 | 65                            | 4-Ø18             | 145             | 435 |
| XBD16. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1470 | 65                            | 4-Ø18             | 145             | 435 |
| XBD16. 2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD16. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD16. 6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD16. 7/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD17. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD17. 3/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD17. 4/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD17. 5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 445 |
| XBD17. 8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1536 | 65                            | 4-Ø18             | 145             | 464 |
| XBD18. 0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1569 | 65                            | 4-Ø18             | 145             | 464 |

| Type            | 外形及安装尺寸 Outline and Mounting Dimensions |                |         |                   |      | 进出口法兰 Inlet and outlet flange |                   |                 | Kg  |
|-----------------|-----------------------------------------|----------------|---------|-------------------|------|-------------------------------|-------------------|-----------------|-----|
| 型号              | L                                       | H <sub>1</sub> | B×C     | 4-ØD <sub>1</sub> | H    | DN                            | N-ØD <sub>2</sub> | ØD <sub>3</sub> | 重量  |
| XBD18.2/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1569 | 65                            | 4-Ø18             | 145             | 474 |
| XBD18.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD18.7/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD19.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD19.3/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD19.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD19.6/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD19.8/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD20.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1635 | 65                            | 4-Ø18             | 145             | 474 |
| XBD20.9/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1700 | 65                            | 4-Ø18             | 145             | 485 |
| XBD21.7/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1700 | 65                            | 4-Ø18             | 145             | 485 |
| XBD23.5/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1806 | 65                            | 4-Ø18             | 145             | 555 |
| XBD24.3/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1806 | 65                            | 4-Ø18             | 145             | 555 |
| XBD25.0/10G-DRL | 405                                     | 100            | 170*325 | 4-Ø18             | 1873 | 65                            | 4-Ø18             | 145             | 565 |