

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
1	XBD3.7/5G-DRL	5	0.37	2950	4
2	XBD4.8/5G-DRL	5	0.48	2950	5.5
3	XBD6.0/5G-DRL	5	0.60	2950	5.5
4	XBD7.4/5G-DRL	5	0.74	2950	7.5
5	XBD8.6/5G-DRL	5	0.86	2950	7.5
6	XBD9.8/5G-DRL	5	0.98	2950	11
7	XBD11.0/5G-DRL	5	1.10	2950	11
8	XBD12.2/5G-DRL	5	1.22	2950	11
9	XBD13.5/5G-DRL	5	1.35	2950	15
10	XBD14.9/5G-DRL	5	1.49	2950	15
11	XBD16.1/5G-DRL	5	1.61	2950	15
12	XBD17.3/5G-DRL	5	1.73	2950	15
13	XBD18.6/5G-DRL	5	1.86	2950	18.5
14	XBD19.8/5G-DRL	5	1.98	2950	18.5
15	XBD21.1/5G-DRL	5	2.11	2950	18.5
16	XBD3.0/10G-DRL	10	0.30	2950	5.5
17	XBD3.5/10G-DRL	10	0.35	2950	5.5
18	XBD3.6/10G-DRL	10	0.36	2950	5.5
19	XBD4.0/10G-DRL	10	0.40	2950	7.5
20	XBD4.1/10G-DRL	10	0.41	2950	7.5
21	XBD4.2/10G-DRL	10	0.42	2950	7.5
22	XBD4.5/10G-DRL	10	0.45	2950	11
23	XBD4.8/10G-DRL	10	0.48	2950	11
24	XBD5.0/10G-DRL	10	0.50	2950	11
25	XBD5.2/10G-DRL	10	0.52	2950	11
26	XBD5.5/10G-DRL	10	0.55	2950	11
27	XBD5.6/10G-DRL	10	0.56	2950	11
28	XBD6.0/10G-DRL	10	0.60	2950	11
29	XBD6.2/10G-DRL	10	0.62	2950	11
30	XBD6.5/10G-DRL	10	0.65	2950	11
31	XBD7.0/10G-DRL	10	0.70	2950	11
32	XBD7.2/10G-DRL	10	0.72	2950	11
33	XBD7.5/10G-DRL	10	0.75	2950	11
34	XBD7.7/10G-DRL	10	0.77	2950	15
35	XBD7.8/10G-DRL	10	0.78	2950	15
36	XBD8.0/10G-DRL	10	0.80	2950	15
37	XBD8.3/10G-DRL	10	0.83	2950	15
38	XBD8.5/10G-DRL	10	0.85	2950	15
39	XBD8.6/10G-DRL	10	0.86	2950	15
40	XBD9.0/10G-DRL	10	0.90	2950	15
41	XBD9.3/10G-DRL	10	0.93	2950	15
42	XBD9.5/10G-DRL	10	0.95	2950	15
43	XBD9.8/10G-DRL	10	0.98	2950	18.5
44	XBD10.0/10G-DRL	10	1.00	2950	18.5

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
45	XBD10.2/10G-DRL	10	1.02	2950	18.5
46	XBD10.5/10G-DRL	10	1.05	2950	18.5
47	XBD10.7/10G-DRL	10	1.07	2950	18.5
48	XBD11.0/10G-DRL	10	1.10	2950	18.5
49	XBD11.2/10G-DRL	10	1.12	2950	18.5
50	XBD11.5/10G-DRL	10	1.15	2950	18.5
51	XBD11.6/10G-DRL	10	1.16	2950	22
52	XBD12.0/10G-DRL	10	1.20	2950	22
53	XBD12.1/10G-DRL	10	1.21	2950	22
54	XBD12.6/10G-DRL	10	1.26	2950	22
55	XBD12.8/10G-DRL	10	1.28	2950	22
56	XBD12.9/10G-DRL	10	1.29	2950	22
57	XBD13.0/10G-DRL	10	1.30	2950	22
58	XBD13.2/10G-DRL	10	1.32	2950	22
59	XBD13.5/10G-DRL	10	1.35	2950	22
60	XBD13.8/10G-DRL	10	1.38	2950	22
61	XBD14.0/10G-DRL	10	1.40	2950	22
62	XBD14.3/10G-DRL	10	1.43	2950	22
63	XBD14.5/10G-DRL	10	1.45	2950	22
64	XBD14.8/10G-DRL	10	1.48	2950	22
65	XBD15.0/10G-DRL	10	1.50	2950	22
66	XBD15.3/10G-DRL	10	1.53	2950	22
67	XBD15.5/10G-DRL	10	1.55	2950	30
68	XBD15.8/10G-DRL	10	1.58	2950	30
69	XBD16.0/10G-DRL	10	1.60	2950	30
70	XBD16.2/10G-DRL	10	1.62	2950	30
71	XBD16.5/10G-DRL	10	1.65	2950	30
72	XBD16.6/10G-DRL	10	1.66	2950	30
73	XBD16.7/10G-DRL	10	1.67	2950	30
74	XBD17.0/10G-DRL	10	1.70	2950	30
75	XBD17.3/10G-DRL	10	1.73	2950	30
76	XBD17.4/10G-DRL	10	1.74	2950	30
77	XBD17.5/10G-DRL	10	1.75	2950	30
78	XBD17.8/10G-DRL	10	1.78	2950	37
79	XBD18.0/10G-DRL	10	1.80	2950	37
80	XBD18.2/10G-DRL	10	1.82	2950	37
81	XBD18.5/10G-DRL	10	1.85	2950	37
82	XBD18.7/10G-DRL	10	1.87	2950	37
83	XBD19.0/10G-DRL	10	1.90	2950	37
84	XBD19.3/10G-DRL	10	1.93	2950	37
85	XBD19.5/10G-DRL	10	1.95	2950	37
86	XBD19.6/10G-DRL	10	1.96	2950	37
87	XBD19.8/10G-DRL	10	1.98	2950	37
88	XBD20.0/10G-DRL	10	2.00	2950	37

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
89	XBD20.9/10G-DRL	10	2.09	2950	37
90	XBD21.7/10G-DRL	10	2.17	2950	37
91	XBD23.5/10G-DRL	10	2.35	2950	45
92	XBD24.3/10G-DRL	10	2.43	2950	45
93	XBD25.0/10G-DRL	10	2.50	2950	45
94	XBD3.0/15G-DRL	15	0.30	2950	7.5
95	XBD3.2/15G-DRL	15	0.32	2950	7.5
96	XBD3.5/15G-DRL	15	0.35	2950	7.5
97	XBD3.9/15G-DRL	15	0.39	2950	11
98	XBD4.0/15G-DRL	15	0.40	2950	11
99	XBD4.2/15G-DRL	15	0.42	2950	11
100	XBD4.5/15G-DRL	15	0.45	2950	11
101	XBD4.7/15G-DRL	15	0.47	2950	11
102	XBD5.0/15G-DRL	15	0.50	2950	15
103	XBD5.2/15G-DRL	15	0.52	2950	15
104	XBD5.5/15G-DRL	15	0.55	2950	15
105	XBD5.6/15G-DRL	15	0.56	2950	15
106	XBD5.7/15G-DRL	15	0.57	2950	15
107	XBD6.0/15G-DRL	15	0.60	2950	15
108	XBD6.2/15G-DRL	15	0.62	2950	15
109	XBD6.5/15G-DRL	15	0.65	2950	15
110	XBD6.7/15G-DRL	15	0.67	2950	15
111	XBD7.0/15G-DRL	15	0.70	2950	15
112	XBD7.3/15G-DRL	15	0.73	2950	15
113	XBD7.5/15G-DRL	15	0.75	2950	18.5
114	XBD7.8/15G-DRL	15	0.78	2950	18.5
115	XBD7.9/15G-DRL	15	0.79	2950	18.5
116	XBD8.0/15G-DRL	15	0.80	2950	18.5
117	XBD8.3/15G-DRL	15	0.83	2950	18.5
118	XBD8.5/15G-DRL	15	0.85	2950	18.5
119	XBD8.7/15G-DRL	15	0.87	2950	18.5
120	XBD9.0/15G-DRL	15	0.90	2950	22
121	XBD9.2/15G-DRL	15	0.92	2950	22
122	XBD9.4/15G-DRL	15	0.94	2950	22
123	XBD9.5/15G-DRL	15	0.95	2950	22
124	XBD9.8/15G-DRL	15	0.98	2950	22
125	XBD10.0/15G-DRL	15	1.00	2950	22
126	XBD10.2/15G-DRL	15	1.02	2950	22
127	XBD10.5/15G-DRL	15	1.05	2950	22
128	XBD10.6/15G-DRL	15	1.06	2950	22
129	XBD11.0/15G-DRL	15	1.10	2950	30
130	XBD11.2/15G-DRL	15	1.12	2950	30
131	XBD11.5/15G-DRL	15	1.15	2950	30
132	XBD11.6/15G-DRL	15	1.16	2950	30

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
133	XBD11.8/15G-DRL	15	1.18	2950	30
134	XBD11.9/15G-DRL	15	1.19	2950	30
135	XBD12.0/15G-DRL	15	1.20	2950	30
136	XBD12.3/15G-DRL	15	1.23	2950	30
137	XBD12.5/15G-DRL	15	1.25	2950	30
138	XBD12.7/15G-DRL	15	1.27	2950	30
139	XBD12.9/15G-DRL	15	1.29	2950	30
140	XBD13.0/15G-DRL	15	1.30	2950	30
141	XBD13.2/15G-DRL	15	1.32	2950	30
142	XBD13.5/15G-DRL	15	1.35	2950	30
143	XBD13.7/15G-DRL	15	1.37	2950	30
144	XBD14.0/15G-DRL	15	1.40	2950	30
145	XBD14.2/15G-DRL	15	1.42	2950	30
146	XBD14.5/15G-DRL	15	1.45	2950	30
147	XBD14.7/15G-DRL	15	1.47	2950	37
148	XBD15.0/15G-DRL	15	1.50	2950	37
149	XBD15.2/15G-DRL	15	1.52	2950	37
150	XBD15.3/15G-DRL	15	1.53	2950	37
151	XBD15.5/15G-DRL	15	1.55	2950	37
152	XBD15.6/15G-DRL	15	1.56	2950	37
153	XBD16.0/15G-DRL	15	1.60	2950	37
154	XBD16.3/15G-DRL	15	1.63	2950	37
155	XBD16.5/15G-DRL	15	1.65	2950	37
156	XBD16.8/15G-DRL	15	1.68	2950	45
157	XBD17.0/15G-DRL	15	1.70	2950	45
158	XBD17.2/15G-DRL	15	1.72	2950	45
159	XBD17.5/15G-DRL	15	1.75	2950	45
160	XBD17.8/15G-DRL	15	1.78	2950	45
161	XBD18.0/15G-DRL	15	1.80	2950	45
162	XBD18.1/15G-DRL	15	1.81	2950	45
163	XBD18.2/15G-DRL	15	1.82	2950	55
164	XBD18.5/15G-DRL	15	1.85	2950	55
165	XBD18.6/15G-DRL	15	1.86	2950	55
166	XBD19.0/15G-DRL	15	1.90	2950	55
167	XBD19.2/15G-DRL	15	1.92	2950	55
168	XBD19.5/15G-DRL	15	1.95	2950	55
169	XBD19.6/15G-DRL	15	1.96	2950	55
170	XBD20.0/15G-DRL	15	2.00	2950	55
171	XBD3.0/20G-DRL	20	0.30	2950	11
172	XBD3.5/20G-DRL	20	0.35	2950	11
173	XBD3.7/20G-DRL	20	0.37	2950	15
174	XBD4.0/20G-DRL	20	0.40	2950	15
175	XBD4.2/20G-DRL	20	0.42	2950	15
176	XBD4.5/20G-DRL	20	0.45	2950	15

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
177	XBD4.8/20G-DRL	20	0.48	2950	15
178	XBD5.0/20G-DRL	20	0.50	2950	15
179	XBD5.1/20G-DRL	20	0.51	2950	15
180	XBD5.2/20G-DRL	20	0.52	2950	18.5
181	XBD5.5/20G-DRL	20	0.55	2950	18.5
182	XBD5.7/20G-DRL	20	0.57	2950	18.5
183	XBD5.8/20G-DRL	20	0.58	2950	18.5
184	XBD6.0/20G-DRL	20	0.60	2950	18.5
185	XBD6.4/20G-DRL	20	0.64	2950	18.5
186	XBD6.5/20G-DRL	20	0.65	2950	18.5
187	XBD6.8/20G-DRL	20	0.68	2950	22
188	XBD7.0/20G-DRL	20	0.70	2950	22
189	XBD7.5/20G-DRL	20	0.75	2950	22
190	XBD7.7/20G-DRL	20	0.77	2950	22
191	XBD7.8/20G-DRL	20	0.78	2950	22
192	XBD8.0/20G-DRL	20	0.80	2950	30
193	XBD8.5/20G-DRL	20	0.85	2950	30
194	XBD8.9/20G-DRL	20	0.89	2950	30
195	XBD9.0/20G-DRL	20	0.90	2950	30
196	XBD9.2/20G-DRL	20	0.92	2950	30
197	XBD9.5/20G-DRL	20	0.95	2950	30
198	XBD9.6/20G-DRL	20	0.96	2950	30
199	XBD9.8/20G-DRL	20	0.98	2950	30
200	XBD10.0/20G-DRL	20	1.00	2950	30
201	XBD10.2/20G-DRL	20	1.02	2950	30
202	XBD10.5/20G-DRL	20	1.05	2950	30
203	XBD11.0/20G-DRL	20	1.10	2950	30
204	XBD11.3/20G-DRL	20	1.13	2950	37
205	XBD11.5/20G-DRL	20	1.15	2950	37
206	XBD12.0/20G-DRL	20	1.20	2950	37
207	XBD12.1/20G-DRL	20	1.21	2950	37
208	XBD12.3/20G-DRL	20	1.23	2950	37
209	XBD12.5/20G-DRL	20	1.25	2950	37
210	XBD12.6/20G-DRL	20	1.26	2950	37
211	XBD12.8/20G-DRL	20	1.28	2950	37
212	XBD12.9/20G-DRL	20	1.29	2950	37
213	XBD13.0/20G-DRL	20	1.30	2950	37
214	XBD13.3/20G-DRL	20	1.33	2950	45
215	XBD13.5/20G-DRL	20	1.35	2950	45
216	XBD13.7/20G-DRL	20	1.37	2950	45
217	XBD14.0/20G-DRL	20	1.40	2950	45
218	XBD14.2/20G-DRL	20	1.42	2950	45
219	XBD14.5/20G-DRL	20	1.45	2950	45
220	XBD14.8/20G-DRL	20	1.48	2950	45

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
221	XBD15.0/20G-DRL	20	1.50	2950	45
222	XBD15.2/20G-DRL	20	1.52	2950	55
223	XBD15.5/20G-DRL	20	1.55	2950	55
224	XBD15.7/20G-DRL	20	1.57	2950	55
225	XBD16.0/20G-DRL	20	1.60	2950	55
226	XBD16.3/20G-DRL	20	1.63	2950	55
227	XBD16.5/20G-DRL	20	1.65	2950	55
228	XBD16.7/20G-DRL	20	1.67	2950	55
229	XBD16.8/20G-DRL	20	1.68	2950	55
230	XBD17.0/20G-DRL	20	1.70	2950	55
231	XBD17.3/20G-DRL	20	1.73	2950	55
232	XBD17.5/20G-DRL	20	1.75	2950	55
233	XBD17.8/20G-DRL	20	1.78	2950	75
234	XBD18.0/20G-DRL	20	1.80	2950	75
235	XBD18.3/20G-DRL	20	1.83	2950	75
236	XBD18.5/20G-DRL	20	1.85	2950	75
237	XBD18.8/20G-DRL	20	1.88	2950	75
238	XBD19.0/20G-DRL	20	1.90	2950	75
239	XBD19.3/20G-DRL	20	1.93	2950	75
240	XBD19.5/20G-DRL	20	1.95	2950	75
241	XBD19.8/20G-DRL	20	1.98	2950	75
242	XBD20.0/20G-DRL	20	2.00	2950	75
243	XBD3.0/25G-DRL	25	0.30	2950	15
244	XBD3.5/25G-DRL	25	0.35	2950	15
245	XBD3.7/25G-DRL	25	0.37	2950	15
246	XBD4.0/25G-DRL	25	0.40	2950	15
247	XBD4.2/25G-DRL	25	0.42	2950	18.5
248	XBD4.5/25G-DRL	25	0.45	2950	18.5
249	XBD4.8/25G-DRL	25	0.48	2950	18.5
250	XBD4.9/25G-DRL	25	0.49	2950	18.5
251	XBD5.0/25G-DRL	25	0.50	2950	22
252	XBD5.2/25G-DRL	25	0.52	2950	22
253	XBD5.5/25G-DRL	25	0.55	2950	22
254	XBD5.7/25G-DRL	25	0.57	2950	22
255	XBD5.8/25G-DRL	25	0.58	2950	22
256	XBD6.0/25G-DRL	25	0.60	2950	30
257	XBD6.3/25G-DRL	25	0.63	2950	30
258	XBD6.5/25G-DRL	25	0.65	2950	30
259	XBD6.7/25G-DRL	25	0.67	2950	30
260	XBD7.0/25G-DRL	25	0.70	2950	30
261	XBD7.2/25G-DRL	25	0.72	2950	30
262	XBD7.5/25G-DRL	25	0.75	2950	30
263	XBD7.8/25G-DRL	25	0.78	2950	30
264	XBD7.9/25G-DRL	25	0.79	2950	30

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
265	XBD8.0/25G-DRL	25	0.80	2950	37
266	XBD8.3/25G-DRL	25	0.83	2950	37
267	XBD8.5/25G-DRL	25	0.85	2950	37
268	XBD8.7/25G-DRL	25	0.87	2950	37
269	XBD8.8/25G-DRL	25	0.88	2950	37
270	XBD9.0/25G-DRL	25	0.90	2950	37
271	XBD9.2/25G-DRL	25	0.92	2950	37
272	XBD9.5/25G-DRL	25	0.95	2950	45
273	XBD9.8/25G-DRL	25	0.98	2950	45
274	XBD10.0/25G-DRL	25	1.00	2950	45
275	XBD10.2/25G-DRL	25	1.02	2950	45
276	XBD10.4/25G-DRL	25	1.04	2950	45
277	XBD10.5/25G-DRL	25	1.05	2950	45
278	XBD10.8/25G-DRL	25	1.08	2950	45
279	XBD10.9/25G-DRL	25	1.09	2950	45
280	XBD11.0/25G-DRL	25	1.10	2950	45
281	XBD11.2/25G-DRL	25	1.12	2950	45
282	XBD11.5/25G-DRL	25	1.15	2950	45
283	XBD11.8/25G-DRL	25	1.18	2950	45
284	XBD12.0/25G-DRL	25	1.20	2950	45
285	XBD12.3/25G-DRL	25	1.23	2950	55
286	XBD12.5/25G-DRL	25	1.25	2950	55
287	XBD12.8/25G-DRL	25	1.28	2950	55
288	XBD13.0/25G-DRL	25	1.30	2950	55
289	XBD13.1/25G-DRL	25	1.31	2950	55
290	XBD13.2/25G-DRL	25	1.32	2950	55
291	XBD13.5/25G-DRL	25	1.35	2950	55
292	XBD13.7/25G-DRL	25	1.37	2950	55
293	XBD13.8/25G-DRL	25	1.38	2950	55
294	XBD14.0/25G-DRL	25	1.40	2950	55
295	XBD14.2/25G-DRL	25	1.42	2950	55
296	XBD14.5/25G-DRL	25	1.45	2950	55
297	XBD14.8/25G-DRL	25	1.48	2950	55
298	XBD14.9/25G-DRL	25	1.49	2950	55
299	XBD15.0/25G-DRL	25	1.50	2950	55
300	XBD15.3/25G-DRL	25	1.53	2950	75
301	XBD15.5/25G-DRL	25	1.55	2950	75
302	XBD15.7/25G-DRL	25	1.57	2950	75
303	XBD16.0/25G-DRL	25	1.60	2950	75
304	XBD16.3/25G-DRL	25	1.63	2950	75
305	XBD16.5/25G-DRL	25	1.65	2950	75
306	XBD16.8/25G-DRL	25	1.68	2950	75
307	XBD17.0/25G-DRL	25	1.70	2950	75
308	XBD17.2/25G-DRL	25	1.72	2950	75

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
309	XBD17.5/25G-DRL	25	1.75	2950	75
310	XBD17.8/25G-DRL	25	1.78	2950	75
311	XBD17.9/25G-DRL	25	1.79	2950	75
312	XBD18.0/25G-DRL	25	1.80	2950	75
313	XBD18.3/25G-DRL	25	1.83	2950	75
314	XBD18.5/25G-DRL	25	1.85	2950	75
315	XBD18.8/25G-DRL	25	1.88	2950	90
316	XBD19.0/25G-DRL	25	1.90	2950	90
317	XBD19.2/25G-DRL	25	1.92	2950	90
318	XBD19.5/25G-DRL	25	1.95	2950	90
319	XBD19.8/25G-DRL	25	1.98	2950	90
320	XBD20.0/25G-DRL	25	2.00	2950	90
321	XBD22.0/25G-DRL	25	2.20	2950	90
322	XBD22.8/25G-DRL	25	2.27	2950	90
323	XBD23.9/25G-DRL	25	2.39	2950	90
324	XBD25.0/25G-DRL	25	2.50	2950	90
325	XBD3.0/30G-DRL	30	0.30	2950	15
326	XBD3.2/30G-DRL	30	0.32	2950	15
327	XBD3.5/30G-DRL	30	0.35	2950	15
328	XBD3.7/30G-DRL	30	0.37	2950	15
329	XBD4.0/30G-DRL	30	0.40	2950	18.5
330	XBD4.2/30G-DRL	30	0.42	2950	18.5
331	XBD4.5/30G-DRL	30	0.45	2950	18.5
332	XBD4.8/30G-DRL	30	0.48	2950	22
333	XBD5.0/30G-DRL	30	0.50	2950	30
334	XBD5.2/30G-DRL	30	0.52	2950	30
335	XBD5.5/30G-DRL	30	0.55	2950	30
336	XBD5.7/30G-DRL	30	0.57	2950	30
337	XBD6.0/30G-DRL	30	0.60	2950	30
338	XBD6.3/30G-DRL	30	0.63	2950	30
339	XBD6.4/30G-DRL	30	0.64	2950	30
340	XBD6.5/30G-DRL	30	0.65	2950	30
341	XBD6.8/30G-DRL	30	0.68	2950	30
342	XBD7.0/30G-DRL	30	0.70	2950	30
343	XBD7.3/30G-DRL	30	0.73	2950	30
344	XBD7.5/30G-DRL	30	0.75	2950	30
345	XBD7.6/30G-DRL	30	0.76	2950	37
346	XBD8.0/30G-DRL	30	0.80	2950	37
347	XBD8.2/30G-DRL	30	0.82	2950	37
348	XBD8.4/30G-DRL	30	0.84	2950	37
349	XBD8.7/30G-DRL	30	0.87	2950	37
350	XBD9.0/30G-DRL	30	0.90	2950	37
351	XBD9.2/30G-DRL	30	0.92	2950	45
352	XBD9.5/30G-DRL	30	0.95	2950	45

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
353	XBD9.7/30G-DRL	30	0.97	2950	45
354	XBD9.8/30G-DRL	30	0.98	2950	45
355	XBD10.0/30G-DRL	30	1.00	2950	45
356	XBD10.2/30G-DRL	30	1.02	2950	45
357	XBD10.5/30G-DRL	30	1.05	2950	45
358	XBD10.8/30G-DRL	30	1.08	2950	45
359	XBD11.0/30G-DRL	30	1.10	2950	45
360	XBD11.3/30G-DRL	30	1.13	2950	55
361	XBD11.4/30G-DRL	30	1.14	2950	55
362	XBD11.5/30G-DRL	30	1.15	2950	55
363	XBD11.8/30G-DRL	30	1.18	2950	55
364	XBD12.0/30G-DRL	30	1.20	2950	55
365	XBD12.3/30G-DRL	30	1.23	2950	55
366	XBD12.4/30G-DRL	30	1.24	2950	55
367	XBD12.5/30G-DRL	30	1.25	2950	55
368	XBD12.8/30G-DRL	30	1.28	2950	55
369	XBD13.0/30G-DRL	30	1.30	2950	55
370	XBD13.2/30G-DRL	30	1.32	2950	55
371	XBD13.5/30G-DRL	30	1.35	2950	75
372	XBD13.8/30G-DRL	30	1.38	2950	75
373	XBD14.0/30G-DRL	30	1.40	2950	75
374	XBD14.3/30G-DRL	30	1.43	2950	75
375	XBD14.5/30G-DRL	30	1.45	2950	75
376	XBD14.7/30G-DRL	30	1.47	2950	75
377	XBD14.8/30G-DRL	30	1.48	2950	75
378	XBD15.0/30G-DRL	30	1.50	2950	75
379	XBD15.2/30G-DRL	30	1.52	2950	75
380	XBD15.4/30G-DRL	30	1.54	2950	75
381	XBD15.5/30G-DRL	30	1.55	2950	75
382	XBD15.7/30G-DRL	30	1.57	2950	75
383	XBD16.0/30G-DRL	30	1.60	2950	75
384	XBD16.2/30G-DRL	30	1.62	2950	75
385	XBD16.3/30G-DRL	30	1.63	2950	75
386	XBD16.5/30G-DRL	30	1.65	2950	75
387	XBD16.8/30G-DRL	30	1.68	2950	75
388	XBD17.0/30G-DRL	30	1.70	2950	75
389	XBD17.3/30G-DRL	30	1.73	2950	75
390	XBD17.5/30G-DRL	30	1.75	2950	75
391	XBD17.8/30G-DRL	30	1.78	2950	75
392	XBD17.9/30G-DRL	30	1.79	2950	90
393	XBD18.0/30G-DRL	30	1.80	2950	90
394	XBD18.2/30G-DRL	30	1.82	2950	90
395	XBD18.5/30G-DRL	30	1.85	2950	90
396	XBD18.6/30G-DRL	30	1.86	2950	90

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
397	XBD18.8/30G-DRL	30	1.88	2950	90
398	XBD19.0/30G-DRL	30	1.90	2950	90
399	XBD19.2/30G-DRL	30	1.92	2950	90
400	XBD19.4/30G-DRL	30	1.94	2950	90
401	XBD19.5/30G-DRL	30	1.95	2950	90
402	XBD19.8/30G-DRL	30	1.98	2950	90
403	XBD20.0/30G-DRL	30	2.00	2950	90
404	XBD21.1/30G-DRL	30	2.11	2950	110
405	XBD21.8/30G-DRL	30	2.18	2950	110
406	XBD22.8/30G-DRL	30	2.28	2950	110
407	XBD24.6/30G-DRL	30	2.46	2950	110
408	XBD3.0/35G-DRL	35	0.30	2950	22
409	XBD3.5/35G-DRL	35	0.35	2950	22
410	XBD3.8/35G-DRL	35	0.38	2950	22
411	XBD3.9/35G-DRL	35	0.39	2950	22
412	XBD4.0/35G-DRL	35	0.40	2950	22
413	XBD4.3/35G-DRL	35	0.43	2950	30
414	XBD4.5/35G-DRL	35	0.45	2950	30
415	XBD4.8/35G-DRL	35	0.48	2950	30
416	XBD5.0/35G-DRL	35	0.50	2950	30
417	XBD5.2/35G-DRL	35	0.52	2950	30
418	XBD5.5/35G-DRL	35	0.55	2950	30
419	XBD5.7/35G-DRL	35	0.57	2950	37
420	XBD6.0/35G-DRL	35	0.60	2950	37
421	XBD6.2/35G-DRL	35	0.62	2950	37
422	XBD6.5/35G-DRL	35	0.65	2950	37
423	XBD6.8/35G-DRL	35	0.68	2950	37
424	XBD6.9/35G-DRL	35	0.69	2950	37
425	XBD7.0/35G-DRL	35	0.70	2950	37
426	XBD7.2/35G-DRL	35	0.72	2950	37
427	XBD7.5/35G-DRL	35	0.75	2950	37
428	XBD7.8/35G-DRL	35	0.78	2950	45
429	XBD7.9/35G-DRL	35	0.79	2950	45
430	XBD8.0/35G-DRL	35	0.80	2950	45
431	XBD8.2/35G-DRL	35	0.82	2950	45
432	XBD8.5/35G-DRL	35	0.85	2950	45
433	XBD8.7/35G-DRL	35	0.87	2950	45
434	XBD9.0/35G-DRL	35	0.90	2950	55
435	XBD9.2/35G-DRL	35	0.92	2950	55
436	XBD9.5/35G-DRL	35	0.95	2950	55
437	XBD9.6/35G-DRL	35	0.96	2950	55
438	XBD9.8/35G-DRL	35	0.98	2950	55
439	XBD10.0/35G-DRL	35	1.00	2950	55
440	XBD10.3/35G-DRL	35	1.03	2950	55

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
441	XBD10.5/35G-DRL	35	1.05	2950	55
442	XBD10.6/35G-DRL	35	1.06	2950	55
443	XBD10.8/35G-DRL	35	1.08	2950	55
444	XBD11.0/35G-DRL	35	1.10	2950	55
445	XBD11.2/35G-DRL	35	1.12	2950	75
446	XBD11.5/35G-DRL	35	1.15	2950	75
447	XBD11.8/35G-DRL	35	1.18	2950	75
448	XBD12.0/35G-DRL	35	1.20	2950	75
449	XBD12.2/35G-DRL	35	1.22	2950	75
450	XBD12.3/35G-DRL	35	1.23	2950	75
451	XBD12.5/35G-DRL	35	1.25	2950	75
452	XBD12.8/35G-DRL	35	1.28	2950	75
453	XBD13.0/35G-DRL	35	1.30	2950	75
454	XBD13.2/35G-DRL	35	1.32	2950	75
455	XBD13.5/35G-DRL	35	1.35	2950	75
456	XBD13.8/35G-DRL	35	1.38	2950	90
457	XBD14.0/35G-DRL	35	1.40	2950	90
458	XBD14.2/35G-DRL	35	1.42	2950	90
459	XBD14.5/35G-DRL	35	1.45	2950	90
460	XBD14.6/35G-DRL	35	1.46	2950	90
461	XBD15.0/35G-DRL	35	1.50	2950	90
462	XBD15.2/35G-DRL	35	1.52	2950	90
463	XBD15.5/35G-DRL	35	1.55	2950	90
464	XBD15.8/35G-DRL	35	1.58	2950	90
465	XBD16.0/35G-DRL	35	1.60	2950	90
466	XBD16.2/35G-DRL	35	1.62	2950	90
467	XBD16.5/35G-DRL	35	1.65	2950	90
468	XBD16.8/35G-DRL	35	1.68	2950	90
469	XBD17.0/35G-DRL	35	1.70	2950	90
470	XBD17.2/35G-DRL	35	1.72	2950	110
471	XBD17.5/35G-DRL	35	1.75	2950	110
472	XBD17.8/35G-DRL	35	1.78	2950	110
473	XBD18.0/35G-DRL	35	1.80	2950	110
474	XBD18.2/35G-DRL	35	1.82	2950	110
475	XBD18.5/35G-DRL	35	1.85	2950	110
476	XBD18.7/35G-DRL	35	1.87	2950	110
477	XBD18.8/35G-DRL	35	1.88	2950	110
478	XBD19.0/35G-DRL	35	1.90	2950	110
479	XBD19.2/35G-DRL	35	1.92	2950	110
480	XBD19.5/35G-DRL	35	1.95	2950	110
481	XBD19.8/35G-DRL	35	1.98	2950	110
482	XBD20.0/35G-DRL	35	2.00	2950	110
483	XBD20.1/35G-DRL	35	2.01	2950	110
484	XBD22.5/35G-DRL	35	2.25	2950	132

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
485	XBD24.1/35G-DRL	35	2.41	2950	132
486	XBD25.0/35G-DRL	35	2.50	2950	160
487	XBD3.0/40G-DRL	40	0.30	2950	22
488	XBD3.5/40G-DRL	40	0.35	2950	22
489	XBD3.7/40G-DRL	40	0.37	2950	22
490	XBD4.0/40G-DRL	40	0.40	2950	22
491	XBD4.2/40G-DRL	40	0.42	2950	30
492	XBD4.5/40G-DRL	40	0.45	2950	30
493	XBD5.0/40G-DRL	40	0.50	2950	30
494	XBD5.5/40G-DRL	40	0.55	2950	37
495	XBD5.6/40G-DRL	40	0.56	2950	37
496	XBD6.0/40G-DRL	40	0.60	2950	37
497	XBD6.4/40G-DRL	40	0.64	2950	37
498	XBD6.5/40G-DRL	40	0.65	2950	37
499	XBD6.8/40G-DRL	40	0.68	2950	45
500	XBD7.0/40G-DRL	40	0.70	2950	45
501	XBD7.5/40G-DRL	40	0.75	2950	45
502	XBD7.8/40G-DRL	40	0.78	2950	45
503	XBD8.0/40G-DRL	40	0.80	2950	45
504	XBD8.5/40G-DRL	40	0.85	2950	55
505	XBD8.6/40G-DRL	40	0.86	2950	55
506	XBD9.0/40G-DRL	40	0.90	2950	55
507	XBD9.5/40G-DRL	40	0.95	2950	55
508	XBD9.9/40G-DRL	40	0.99	2950	55
509	XBD10.0/40G-DRL	40	1.00	2950	55
510	XBD10.5/40G-DRL	40	1.05	2950	75
511	XBD11.0/40G-DRL	40	1.10	2950	75
512	XBD11.5/40G-DRL	40	1.15	2950	75
513	XBD11.6/40G-DRL	40	1.16	2950	75
514	XBD12.0/40G-DRL	40	1.20	2950	75
515	XBD12.5/40G-DRL	40	1.25	2950	75
516	XBD13.0/40G-DRL	40	1.30	2950	75
517	XBD13.5/40G-DRL	40	1.35	2950	90
518	XBD14.0/40G-DRL	40	1.40	2950	90
519	XBD14.5/40G-DRL	40	1.45	2950	90
520	XBD15.0/40G-DRL	40	1.50	2950	90
521	XBD15.2/40G-DRL	40	1.52	2950	90
522	XBD15.5/40G-DRL	40	1.55	2950	90
523	XBD16.0/40G-DRL	40	1.60	2950	90
524	XBD16.5/40G-DRL	40	1.65	2950	110
525	XBD17.0/40G-DRL	40	1.70	2950	110
526	XBD17.5/40G-DRL	40	1.75	2950	110
527	XBD17.8/40G-DRL	40	1.78	2950	110
528	XBD18.0/40G-DRL	40	1.80	2950	110

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
529	XBD18.5/40G-DRL	40	1.85	2950	132
530	XBD19.0/40G-DRL	40	1.90	2950	132
531	XBD19.5/40G-DRL	40	1.95	2950	132
532	XBD20.0/40G-DRL	40	2.00	2950	132
533	XBD21.7/40G-DRL	40	2.17	2950	132
534	XBD22.7/40G-DRL	40	2.27	2950	132
535	XBD25.0/40G-DRL	40	2.50	2950	160
536	XBD3.0/45G-DRL	45	0.30	2950	30
537	XBD3.5/45G-DRL	45	0.35	2950	30
538	XBD3.8/45G-DRL	45	0.38	2950	30
539	XBD4.0/45G-DRL	45	0.40	2950	30
540	XBD4.4/45G-DRL	45	0.44	2950	37
541	XBD4.5/45G-DRL	45	0.45	2950	37
542	XBD5.0/45G-DRL	45	0.50	2950	37
543	XBD5.5/45G-DRL	45	0.55	2950	37
544	XBD6.0/45G-DRL	45	0.60	2950	45
545	XBD6.5/45G-DRL	45	0.65	2950	45
546	XBD6.8/45G-DRL	45	0.68	2950	45
547	XBD7.0/45G-DRL	45	0.70	2950	45
548	XBD7.5/45G-DRL	45	0.75	2950	55
549	XBD7.8/45G-DRL	45	0.78	2950	55
550	XBD8.0/45G-DRL	45	0.80	2950	55
551	XBD8.5/45G-DRL	45	0.85	2950	55
552	XBD9.0/45G-DRL	45	0.90	2950	55
553	XBD9.1/45G-DRL	45	0.91	2950	75
554	XBD9.5/45G-DRL	45	0.95	2950	75
555	XBD10.0/45G-DRL	45	1.00	2950	75
556	XBD10.3/45G-DRL	45	1.03	2950	75
557	XBD10.5/45G-DRL	45	1.05	2950	75
558	XBD11.0/45G-DRL	45	1.10	2950	75
559	XBD11.4/45G-DRL	45	1.14	2950	75
560	XBD11.5/45G-DRL	45	1.15	2950	75
561	XBD12.0/45G-DRL	45	1.20	2950	75
562	XBD12.5/45G-DRL	45	1.25	2950	90
563	XBD13.0/45G-DRL	45	1.30	2950	90
564	XBD13.5/45G-DRL	45	1.35	2950	90
565	XBD13.7/45G-DRL	45	1.37	2950	90
566	XBD14.0/45G-DRL	45	1.40	2950	90
567	XBD14.5/45G-DRL	45	1.45	2950	110
568	XBD14.9/45G-DRL	45	1.49	2950	110
569	XBD15.0/45G-DRL	45	1.50	2950	110
570	XBD15.5/45G-DRL	45	1.55	2950	110
571	XBD16.0/45G-DRL	45	1.60	2950	110
572	XBD16.4/45G-DRL	45	1.64	2950	110

序号	型号	额定流量 (L/s)	额定压力 (MPa)	转速 (r/min)	功率 (kW)
573	XBD16.5/45G-DRL	45	1.65	2950	132
574	XBD17.0/45G-DRL	45	1.70	2950	132
575	XBD17.5/45G-DRL	45	1.75	2950	132
576	XBD18.0/45G-DRL	45	1.80	2950	132
577	XBD18.5/45G-DRL	45	1.85	2950	132
578	XBD19.0/45G-DRL	45	1.90	2950	132
579	XBD19.5/45G-DRL	45	1.95	2950	132
580	XBD19.7/45G-DRL	45	1.97	2950	132
581	XBD20.0/45G-DRL	45	2.00	2950	132
582	XBD21.0/45G-DRL	45	2.10	2950	132
583	XBD22.1/45G-DRL	45	2.21	2950	160
584	XBD23.3/45G-DRL	45	2.33	2950	160
585	XBD24.5/45G-DRL	45	2.45	2950	160
586	XBD25.0/45G-DRL	45	2.50	2950	200
587	XBD3.5/50G-DRL	50	0.35	2950	30
588	XBD4.2/50G-DRL	50	0.42	2950	37
589	XBD4.5/50G-DRL	50	0.45	2950	45
590	XBD7.2/50G-DRL	50	0.72	2950	55
591	XBD8.5/50G-DRL	50	0.85	2950	75
592	XBD8.9/50G-DRL	50	0.89	2950	75
593	XBD10.9/50G-DRL	50	1.09	2950	90
594	XBD11.7/50G-DRL	50	1.17	2950	90
595	XBD12.9/50G-DRL	50	1.29	2950	90
596	XBD13.6/50G-DRL	50	1.36	2950	110
597	XBD15.6/50G-DRL	50	1.56	2950	132
598	XBD16.4/50G-DRL	50	1.64	2950	132
599	XBD17.2/50G-DRL	50	1.72	2950	132
600	XBD18.2/50G-DRL	50	1.82	2950	160
601	XBD20.0/50G-DRL	50	2.00	2950	160
602	XBD21.5/50G-DRL	50	2.15	2950	160
603	XBD22.7/50G-DRL	50	2.27	2950	200
604	XBD23.8/50G-DRL	50	2.38	2950	200
605	XBD4.4/55G-DRL	55	0.44	2950	45
606	XBD7.0/55G-DRL	55	0.70	2950	55
607	XBD8.8/55G-DRL	55	0.88	2950	75
608	XBD11.3/55G-DRL	55	1.13	2950	90
609	XBD13.2/55G-DRL	55	1.32	2950	110
610	XBD14.9/55G-DRL	55	1.49	2950	132
611	XBD15.7/55G-DRL	55	1.57	2950	132
612	XBD17.7/55G-DRL	55	1.77	2950	160
613	XBD19.2/55G-DRL	55	1.92	2950	160
614	XBD20.0/55G-DRL	55	2.00	2950	200
615	XBD22.2/55G-DRL	55	2.22	2950	200
616	XBD23.8/55G-DRL	55	2.38	2950	200