

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD3.1/5G-L	360	305	570	100	140×200	100×160	4- Φ 18	65	75
XBD3.7/5G-L	380	350	635	105	140×200	100×160	4- Φ 18	65	107
XBD4.8/5G-L	380	350	635	105	140×200	100×160	4- Φ 18	65	107
XBD5.8/5G-L	380	350	635	105	140×200	100×160	4- Φ 18	65	107
XBD7.1/5G-L	480	435	785	110	160×220	120×180	4- Φ 18	65	170
XBD8.5/5G-L	550	435	785	110	160×220	120×180	4- Φ 18	65	205
XBD3.0/10G-L	400	360	660	125	140×200	100×160	4- Φ 18	80	105
XBD3.2/10G-L	400	360	660	125	140×200	100×160	4- Φ 18	80	105
XBD3.5/10G-L	440	360	665	125	140×200	100×160	4- Φ 18	80	115
XBD3.7/10G-L	440	360	665	125	140×200	100×160	4- Φ 18	80	115
XBD3.8/10G-L	440	360	665	125	140×200	100×160	4- Φ 18	80	115
XBD4.0/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.2/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.5/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.8/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD5.0/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.1/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.2/10G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.5/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD5.6/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD5.8/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.0/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.2/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.4/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.5/10G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.8/10G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.0/10G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.2/10G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.3/10G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.5/10G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.8/10G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD8.0/10G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD8.2/10G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD8.5/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD8.8/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD9.0/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD9.2/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD9.5/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD9.8/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD10.0/10G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD10.2/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.5/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.8/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.0/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.2/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.5/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.8/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD12.0/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD12.2/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	355
XBD12.5/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	355
XBD12.8/10G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	355
XBD13.0/10G-L	630	545	975	160	200×290	150×240	4- Φ 18	80	440
XBD13.2/10G-L	630	545	975	160	200×290	150×240	4- Φ 18	80	440
XBD13.5/10G-L	630	545	975	160	200×290	150×240	4- Φ 18	80	440
XBD13.8/10G-L	630	545	975	160	200×290	150×240	4- Φ 18	80	440
XBD14.0/10G-L	630	545	975	160	200×290	150×240	4- Φ 18	80	440
XBD14.2/10G-L	630	575	1005	160	200×290	150×240	4- Φ 18	80	470

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4-d ₁	进出口法兰	重量
XBD14.5/10G-L	630	575	1005	160	200×290	150×240	4-Φ18	80	470
XBD14.8/10G-L	630	575	1005	160	200×290	150×240	4-Φ18	80	470
XBD15.0/10G-L	630	610	1100	160	200×290	150×240	4-Φ18	80	570