

Type	外形及安装尺寸 Outline and Mounting Dimensions								kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD3.0/15G-L	400	360	660	125	140×200	100×160	4- Φ 18	80	105
XBD3.2/15G-L	400	360	660	125	140×200	100×160	4- Φ 18	80	105
XBD3.4/15G-L	440	360	665	125	140×200	100×160	4- Φ 18	80	115
XBD3.5/15G-L	440	360	665	125	140×200	100×160	4- Φ 18	80	115
XBD3.8/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.0/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.2/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.3/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	165
XBD4.5/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD4.8/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.0/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.1/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.2/15G-L	440	430	795	125	140×200	100×160	4- Φ 18	80	175
XBD5.5/15G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD5.8/15G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.0/15G-L	480	430	805	130	160×220	120×180	4- Φ 18	80	185
XBD6.2/15G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD6.5/15G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD6.8/15G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210

Type	外形及安装尺寸 Outline and Mounting Dimensions								kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD7.0/15G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.2/15G-L	480	430	850	130	160×220	120×180	4- Φ 18	80	210
XBD7.5/15G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD7.8/15G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD8.0/15G-L	480	465	870	130	160×220	120×180	4- Φ 18	80	240
XBD8.2/15G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD8.5/15G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD8.7/15G-L	580	470	885	130	190×280	150×240	4- Φ 18	80	275
XBD8.8/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD9.0/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD9.2/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD9.5/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD9.8/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.0/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.2/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.5/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD10.8/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.0/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340
XBD11.2/15G-L	580	530	1000	130	190×280	150×240	4- Φ 18	80	340

Type	外形及安装尺寸 Outline and Mounting Dimensions								kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4-d ₁	进出口法兰	重量
XBD11.5/15G-L	580	530	1000	130	190×280	150×240	4-Φ18	80	355
XBD11.8/15G-L	580	530	1000	130	190×280	150×240	4-Φ18	80	355
XBD12.0/15G-L	580	530	1000	130	190×280	150×240	4-Φ18	80	355
XBD12.2/15G-L	580	530	1000	130	190×280	150×240	4-Φ18	80	355
XBD12.5/15G-L	580	530	1000	130	190×280	150×240	4-Φ18	80	355
XBD12.8/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD13.0/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD13.2/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD13.5/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD13.8/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD14.0/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD14.2/15G-L	630	575	1005	130	200×290	150×240	4-Φ18	80	470
XBD14.5/15G-L	630	610	1100	130	200×290	150×240	4-Φ18	80	570
XBD14.8/15G-L	630	610	1100	130	200×290	150×240	4-Φ18	80	570
XBD15.0/15G-L	630	610	1100	130	200×290	150×240	4-Φ18	80	570