

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD3.0/30G-L	500	430	835	145	160×220	120×180	4- Φ 18	100	191
XBD3.2/30G-L	480	430	860	140	160×220	120×180	4- Φ 18	100	215
XBD3.3/30G-L	480	475	880	140	160×220	120×180	4- Φ 18	100	245
XBD3.5/30G-L	480	430	860	140	160×220	120×180	4- Φ 18	100	215
XBD3.8/30G-L	480	430	860	140	160×220	120×180	4- Φ 18	100	215
XBD4.0/30G-L	480	430	860	140	160×220	120×180	4- Φ 18	100	215
XBD4.2/30G-L	480	430	860	140	160×220	120×180	4- Φ 18	100	215
XBD4.5/30G-L	480	475	880	140	160×220	120×180	4- Φ 18	100	245
XBD4.8/30G-L	480	475	880	140	160×220	120×180	4- Φ 18	100	245
XBD5.0/30G-L	480	475	880	140	160×220	120×180	4- Φ 18	100	245
XBD5.2/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD5.5/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD5.8/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD6.0/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD6.2/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD6.5/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD6.8/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD7.0/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	330
XBD7.2/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4- Φ d ₁	进出口法兰	重量
XBD7.5/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345
XBD7.8/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345
XBD8.0/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345
XBD8.2/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345
XBD8.5/30G-L	550	520	1015	155	160×220	120×180	4- Φ 18	100	345
XBD8.8/30G-L	630	580	1080	165	250×300	160×220	4- Φ 18	100	439
XBD9.0/30G-L	630	580	1080	165	250×300	160×220	4- Φ 18	100	439
XBD9.2/30G-L	630	580	1080	165	250×300	160×220	4- Φ 18	100	439
XBD9.5/30G-L	630	580	1080	165	250×300	160×220	4- Φ 18	100	439
XBD9.8/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD10.0/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD10.2/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD10.5/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD10.8/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD11.0/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD11.2/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD11.5/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD11.8/30G-L	630	640	1165	165	250×300	160×220	4- Φ 18	100	549
XBD12.0/30G-L	630	700	1235	165	250×300	160×220	4- Φ 18	100	689

Type	外形及安装尺寸 Outline and Mounting Dimensions								Kg
型号	L	B	H	A	C ₁ ×B ₁	C ₂ ×B ₂	4-d ₁	进出口法兰	重量
XBD12. 2/30G-L	630	700	1235	165	250×300	160×220	4-Φ18	100	689
XBD12. 5/30G-L	630	700	1235	165	250×300	160×220	4-Φ18	100	689
XBD12. 8/30G-L	680	630	1260	175	230×320	170×260	4-Φ18	100	830
XBD13. 0/30G-L	680	630	1260	175	230×320	170×260	4-Φ18	100	830
XBD13. 2/30G-L	680	630	1260	175	230×320	170×260	4-Φ18	100	830
XBD13. 5/30G-L	680	630	1260	175	230×320	170×260	4-Φ18	100	830
XBD13. 8/30G-L	680	630	1260	175	230×320	170×260	4-Φ18	100	830
XBD14. 0/30G-L	680	630	1310	175	230×320	170×260	4-Φ18	100	950
XBD14. 2/30G-L	680	630	1310	175	230×320	170×260	4-Φ18	100	950
XBD14. 5/30G-L	680	630	1310	175	230×320	170×260	4-Φ18	100	950
XBD14. 8/30G-L	680	630	1310	175	230×320	170×260	4-Φ18	100	950
XBD15. 0/30G-L	680	630	1310	175	230×320	170×260	4-Φ18	100	950